



Biologist:
 Grace Adams
 888-493-8526
 grace@waterandwetland.com
 Call/Text With Any Questions!



FIELD NOTES SUMMARY


Customer: City of Framingham
Pond Name: Norton Pond
Site Location: Framingham, MA
Date: 7/1/24

On 7/1/24, Aquatic Biologist, Grace Adams, made a visit to Norton Pond. The following services were completed during the visit:

Upon arrival to the site, a survey was conducted using visual observation paired with a standard throw-rake and handheld GPS/ArcGIS Field Maps, as applicable. Plants documented during the survey are documented in the table below. (*) denotes an invasive species. Invasive species are non-native to the ecosystem and are likely to cause economic harm, environmental harm, or harm to human health.

Species Identified	
Common Name	Latin Name
Filamentous Algae	
Watermeal	<i>Wolffia</i>
Duckweed	<i>Lemna</i>

While on-site, dissolved oxygen (DO) and temperature readings were collected using a calibrated YSI meter with optical sensor. Dissolved oxygen is the amount of oxygen in water that is available to aquatic organisms. DO is necessary to support fish spawning, growth, and activity. Tolerance varies by species, but the figure below provides a general range of fish tolerance (Source: epa.gov). Dissolved oxygen can be affected by many outside factors, such as: temperature, time of day, and pollution. Dissolved oxygen levels are typically lowest early in the morning. Healthy water should generally have concentrations of about 6.5-8+ mg/L.



Results from the visit are included in the table below:

Temperature & Dissolved Oxygen	
Surface Temp (°C)	Surface DO (mg/L)
25.3	8.44

A Secchi disk is a disk with alternating black and white quadrants. It is lowered into the water of a lake until it can no longer be seen by the observer. This depth of disappearance, called the Secchi depth, is a measure of the transparency of the water.

Secchi Disk Clarity	
Secchi Disk Depth (Feet)	
	3'5"

A treatment was conducted for the control of target nuisance/invasive plant growth. The liquid contact herbicide(s) was applied using a treatment boat equipped with a calibrated sub-surface injection system. This application methodology allows for even coverage within the treatment areas. The treatment was completed without issue. We anticipate plant die-off within just a few days to a few weeks.

A treatment was conducted for the control of algae. The liquid contact algaecide was applied using a treatment boat equipped with a calibrated sub-surface injection system. This application methodology allows for even coverage within the treatment areas. The treatment was completed without issue.

Prior to the treatment(s), the shoreline was posted with neon signage noting the treatment, affiliated water use restrictions, and Water & Wetland contact information. The signs fulfill permit obligations for shoreline posting.

Additional Notes from the Biologist
Treatment was scheduled based on previous feedback from the city and a subsequent follow-up survey conducted by Water & Wetland's team of biologists. An additional inspection was conducted today, immediately prior to treatment. Consistent with our previous survey, filamentous algae, duckweed, and watermeal were found along the shoreline in moderate densities. The middle of the pond was open and free from these target species. As planned, a treatment was conducted for the control of the species mentioned above. Treatment areas focused on the shoreline where these target species were present.

As always, we will notify you prior to any upcoming visits, as applicable. Please feel free to reach out to us directly with any questions.

Photo 1



Photo 2



Photo 3



Photo 4



Photo 5

