

**ORDER FOR GRANT OF LOCATION
City of FRAMINGHAM Massachusetts**

WHEREAS, **CABLEVISION LIGHTPATH, LLC** has petitioned for permission to install approximately eleven feet (11') of underground conduit and associated fiber cable for a new service connection on Waverly Street in Framingham MA as indicated on plans entitled; "PROPOSED CONDUIT INSTALATION AT #687 WAVERLY STREET (AKA ROUTE 135) IN THE CITY OF FRAMINGHAM, MA" prepared for by Cablevision Lightpath, LLC by MTP Communication, Inc. along and across the public way of ways of the City hereinafter specified, and notice has been given and a hearing held on said petition as provided by law.

It is ORDERED that **CABLEVISION LIGHTPATH, LLC** be and hereby is granted permission to install a 4-inch conduit encased in cement concrete at pole #227/77 to #687 Waverly Street, along the sidewalk on Waverly Street, be own and used by the petitioner, along and across the following public way or ways of said City:

687-701 Waverly Street

Install one 4-inch (4") conduit encased in cement concrete at pole #227/77

Hearing Required

Also, for permission to lay and maintain underground laterals, cables and wires in the above or intersecting public ways for the purpose of making connections with such poles and buildings as said petitioner may desire for distributing purposes.

All construction work under this Order shall be in accordance with the following conditions: located as shown on a plan made by **M. Pavone** dated **September 6, 2024** on file with said petition.

Certificate

We hereby certify that the foregoing Order was adopted after due notice and a public hearing as prescribed by Section 22 of Chapter 166 of the General Laws (Ter.Ed.), and any additions thereto or amendments thereof, to wit: after written notice of the time and place of the hearing mailed at least seven days prior to the date of the hearing by the City Council to all owners of real estate abutting upon that part of the way or ways upon, along or across with the line is to be constructed under said Order, as determined by the last preceding assessment for taxation, and a public hearing held on the **2nd day of October, 2024, at 7:00 P.M.** in said City.

Certificate

I hereby certify that the foregoing are true copies of the Order of the City Council of the City of **FRAMINGHAM**, Massachusetts, duly adopted on the **2nd day of October, 2024**, and recorded with the records of location Orders of said City, Book 17, Page 24-2, and of the certificate of notice of hearing thereon required by Section 22 of Chapter 166 of the General Laws (Ter. Ed.), and any additions to thereto or amendments thereof, as the same appear of record.

Attest:



Lisa A. Ferguson, Clerk of the City of **FRAMINGHAM** Massachusetts
Emily Butler, Assistant Clerk of the City of **FRAMINGHAM** Massachusetts



CITY OF FRAMINGHAM

DEPARTMENT OF PUBLIC WORKS | OPERATIONS

OPERATIONS CENTER
100 Western Avenue
Framingham, MA 01702

508-532-6010
engineering@framinghamma.gov
www.framinghamma.gov

September 12, 2024

City Council
City of Framingham
Memorial Building
150 Concord Street
Framingham, MA 01702

Re: Grant of Location Request by Lightpath for a 4-inch conduit – 701 Waverly Street

Dear City Council:

The Department of Public Works (DPW) is in receipt of a request from Lightpath to install a 4-inch conduit encased in cement concrete, at pole #227/77 to # 687 Waverly Street, along the sidewalk on Waverly Street, be owned and used by your petitioner.

We have reviewed this Grant of Location request submitted to the City Council and recommend approval subject to the following conditions:

1. The applicant (or applicant's designee) shall be registered as a utility within the Dig-Safe system and will be responsible to comply with all applicable laws and regulations pertaining to utility location and marking, including MGL c.82, sec.40 and 220 CMR 99. The applicant (or applicant's designee) shall fulfill the definition of "Company" as set forth in the aforementioned law and regulations.
2. The applicant and contractor shall endeavor to maintain 5-foot separation from city-owned utilities at all times.
3. The applicant shall obtain a Street Opening Permit and a Trench Opening Permit for this work.
4. The applicant shall fully replace and restore all sidewalk, curbing, and roadway infrastructure impacted by this work.
5. All work shall conform to the City of Framingham construction standards.

Please contact me at (508) 532-6010 if you have any questions.

Yours very truly,

A handwritten signature in blue ink, appearing to read 'Eric V. Johnson'.

Eric V. Johnson, P.E.

City Engineer

cc: R. Lewis, DPW M. Hupfer, DPW

Lightpath

PROPOSED CONDUIT INTALLATION

AT

#687 WAVERLY STREEET (A.K.A. ROUTE 135)

IN THE

CITY OF FRAMINGHAM, MA

INDEX OF DRAWING

SHEET NO.	DESCRIPTION
0	COVER SHEET
01	PETITION PLAN
02	DETAILS

SHEET #

0

CONTRACTOR:

MTP
COMMUNICATIONS, INC.

REV#	DATE	REVISION HISTORY
1		DESCRIPTION DAWMTR
2		
3		
4		



LOCATION MAP
N.T.S.

GENERAL NOTES

1. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND SHALL BE FULLY RESPONSIBLE FOR ANY DAMAGE TO UTILITIES WHICH MIGHT BE OCCURRED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.
2. WHERE AN EXISTING UTILITY IS FOUND TO CONFLICT WITH THE PROPOSED WORK, THE LOCATION, ELEVATION AND SIZE OF THE UTILITY SHALL BE DETERMINED BY THE CONTRACTOR AND THE INFORMATION FURNISHED TO THE ENGINEER FOR RESOLUTION OF THE CONFLICT.
3. THE CONTRACTOR SHOULD MAINTAIN A SEPARATION OF 18 INCHES MIN. WHEN CROSSING EXISTING WATER FACILITIES.
4. THE CONTRACTOR SHALL MAKE ALL ARRANGEMENTS FOR THE ALTERATION AND ADJUSTMENT OF GAS, ELECTRIC, TELEPHONE AND PRIVATE UTILITIES BY THE UTILITY COMPANY.
5. THE CONTRACTOR SHALL NOT DISTURB PUBLIC TREES AND SHRUBS.
6. AREAS OUTSIDE THE LIMITS OF PROPOSED WORK SHALL BE PROTECTED BY THE CONTRACTOR TO THEIR ORIGINAL CONDITION AT NO EXPENSE TO THE OWNER.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PLACING AND MAINTAINING TEMPORARY RESURFACING AND/OR PLATING FOR ALL EXCAVATIONS IN PAVED STS AND SIDEWALKS UNTIL PERMANENT RESURFACING IS COMPLETE.
8. JOINTS BETWEEN NEW BITUMINOUS CONCRETE ROADWAY PAVEMENT AND SAW CUT EXISTING PAVEMENT SHALL BE SEALED WITH BITUMEN AND BACK SAUNDED.
9. THE CONTRACTOR SHALL PROTECT AND SUPPORT EXISTING UTILITIES AND STRUCTURES ADJACENT TO THE EXCAVATION REQUIRED TO INSTALL THE PROPOSED CONDUIT.
10. THE CONTRACTOR SHALL REPAIR ALL DISTURBED TRAFFIC SIGNAL LOOP DETECTORS TO GOOD WORKING CONDITION AS REQUIRED BY THE LATEST STANDARDS OF THE MUNICIPAL TRAFFIC DEPARTMENT.
11. ALL EXISTING STATE, COUNTY, CITY, AND TOWN LOCATION LINES AND PRIVATE PROPERTY LINES HAVE BEEN SHOWN ON THIS PLAN. THE CONTRACTOR SHALL VERIFY AND THEIR EXACT LOCATION ARE NOT GUARANTEED.
12. THE CONTRACTOR SHALL REPAIR ALL PAVEMENT DAMAGED BY TRENCH EXCAVATION OR OPERATIONS OF THE CONTRACTOR WITH SIMILAR COLOR AND SIZE THERMOPLASTIC MARKINGS.

Lightpath

PREPARED FOR:

- #701 (ON GOOGLE)
- #687 (CITY'S GIS)
- #703 (ON GOOGLE)
- #705 (CITY'S GIS)
- #711
- #686
- #672
- #679

PROJECT NOTES:

- WATER LINE
- SEWER LINE
- TELEPHONE
- ELECTRIC LINE
- CATV LINE
- GAS LINE
- STEEL PIPE
- CONDUIT
- STORM DRAIN
- TRAFFIC
- UNKNOWN UTILITY COMMUNICATIONS

SYMBOLS:

EX. TRAFFIC BOLLARDS	UTILITY POLE
TRAFFIC LIGHT	BRIDGE
ELECTRIC HH	SEWER HH
GAS GATE	UNKNOWN DATE
UNKNOWN DATE	UNKNOWN HH
TELEPHONE HH	STEEL PIPE
CABLE TV HH	UNKNOWN HH
LEVEL 3 HH	MAIL BOX
MAIL BOX	RAILROAD
RAILROAD	STEEL POST
SEWER HH	SEWER POLE
UNKNOWN HH	HYDRANT
STEEL PIPE	CONCRETE
UNKNOWN HH	STONE BOUND
PROPERTY LINE	PROPERTY LINE
TRAFFIC BOX	TRAFFIC BOX
TRAFFIC HH	TRAFFIC HH
PROPOSED CONDUIT (BY OTHERS)	PROPOSED CONDUIT (BY OTHERS)
EXISTING TREE	EXISTING TREE

REVISION HISTORY

REV	DATE	DESCRIPTION
1		
2		
3		
4		

PREPARED BY:




CONTACT INFORMATION:


OFFICE LOCATION: 25 WASHINGTON ST. BELLINGHAM, WA 98219
 MAILING ADDRESS: PO BOX 736 BELLINGHAM, WA 98219
 TEL: (509) 530-5681
 EMAIL: MARKPAVONE@MTPCOMM.COM

PETITION PLAN

LOCATION: #87 WAVERLY STREET (A.K.A. RTE. 135)
 CHECKED BY: MP
 DRAWN BY: MP
 PROJECT #: 24-2653
 SHEET: 1 OF 2



WAVERY STREET (A.K.A. ROUTE 135) MATERIALS
 STREET: ASPHALT
 SIDEWALK: CONCRETE
 CURB: GRANITE



PREPARED FOR:

Lightpath

PROJECT NOTES:

REV#	DATE	DESCRIPTION / DRAFTER
1		
2		
3		
4		





REVISION HISTORY

PREPARED BY: **MTP**
COMMUNICATIONS, INC.

CONTACT INFORMATION:
 OFFICE LOCATION: 25 WILLIAMS WAY
 FLEMINGTON, MA 02019
 MAILING ADDRESS: 650 BOSTON ST.
 FLEMINGTON, MA 02019
 TEL: (508) 530-8681
 EMAIL: MARKPAVONE@MTPCOMM.COM

TITLE: **DETAILS**

LOCATION: #87 WAVERLY STREET
 (A.K.A. RTE. 135)
 FLEMINGTON, MA
 CHECKED BY: MP
 DRAWN BY: MP
 PROJECT #: 24-2833
 SHEET: 2 OF 2



ISOMETRIC VIEW

- NOTES**
1. THE RETRIEVAL SYSTEM SHALL BE REMOVED AT THE END OF THE PROJECT.
 2. CATCH BASIN INSERTS ARE ONLY TO BE INSTALLED IN DRAINAGE DEVICES AND NOT MANHOLE INLETS. CATCH BASIN INSERTS SHALL BE INSTALLED IN CURB INLETS.
 3. CATCH BASIN INSERTS SHALL BE INSTALLED PRIOR TO THE PLACEMENT OF A NEW CATCH BASIN.
 4. SEWERAGE SHALL BE REMOVED FROM THE CURB INLET AND THE INLET SHALL BE REINSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTIONS.
 5. THE RETRIEVAL SYSTEM SHALL BE ACCOMPANIED BY REMOVING THE INLET INLETS, EMPTYING, AND WASHING THE CURB INLET AND THE CATCH BASIN WALLS AND SEWERAGE INTO STORM DRAINAGE WALLS.
 6. THE RETRIEVAL SYSTEM SHALL BE INSTALLED ON THE EXISTING INLET STRUCTURE AND SHALL BE INSTALLED ON THE EXISTING INLET STRUCTURE.
 7. THE BIRD SHALL HAVE A BIRD-HIGH FLOW RELIEF SYSTEM (OVERFLOW BYPASS).
 8. THE RETRIEVAL SYSTEM MUST ALLOW REMOVAL OF MATERIAL WITHOUT SPRING THE COLLECTED MATERIAL.

INSTALLATION DETAIL
 N.T.S.



Lightpath

Framingham, September 30, 2024

To the CITY COUNCIL of the City of FRAMINGHAM, Massachusetts:

The undersigned respectfully petitions;

Cablevision Lightpath, LLC, hereby petitions the City of FRAMINGHAM to install approximately eleven feet (11') of underground conduit and associated fiber cable for a new service connection on Waverly Street in Framingham, Ma as indicated on plans entitled: "PROPOSED CONDUIT INSTALLATION AT #687 WAVERLY STREET (AKA ROUTE 135) IN THE CITY OF FRAMINGHAM, MA" prepared for Cablevision Lightpath, LLC by MTP Communications, Inc.

Petitioner: *Herb Bertoni*

Herb Bertoni,

Sr Construction Manager

Address:

Cablevision Lightpath, LLC

100 Quannapowitt Pkwy, Suite 401

Wakefield, MA 01880